

THE SCIENTIFIC REPORTS OF THE WHALES RESEARCH
INSTITUTE, TOKYO, JAPAN

NUMBER 1, JUNE 1948

- Akiya, S. and Tejima, S. Studies on digestive enzyme in whale. 3-7
Akiya, S., Ishikawa, Y., Tejima, S. and Tanazawa, T. Studies on trypsin from a whale (*Balaenoptera borealis* L.) 8-10
Akiya, S., Tejima, S. and Ishikawa, Y. Studies on the utilization of whale meat by the use of pancreatic trypsin of whales. 11-14
Akiya, S. and Kobo, F. The test culture of some microorganisms with whale meat peptone. 15-16
Nakai, T. Chemical studies on the freshness of whale meat. I. Evaluation of freshness and changes in quantity of several kinds of nitrogen in whale meat following deterioration of freshness. 17-26
Nakai, T. Chemical studies on the freshness of whale meat. II. On comparison between whale meat and beef on deterioration of freshness and autolysis. 27-30
Tawara, T. On the simultaneous extraction of vitamin A-D and vitamin B₂ complex from the liver of a fin whale (Nagasaki-Kujira, *Balaenoptera physalus* L.). 31-37
Tawara, T. Studies on whale blood. I. On the separation of histidine from whale blood. 38-40
Nakai, J. and Shida, T. Sinus-hairs of the sei whale (*Balaenoptera borealis*). 41-47

NUMBER 2, DECEMBER 1948

- Ogawa, T. and Arifuku, S. On the acoustic system in the cetacean brains. 1-20
Yamada, M. Auditory organ of the whalebone whales. (Preliminary report). 21-30
Nakai, T. Chemical studies on the freshness of whale meat. III. Effect of hydrogen-ion concentration on decrease in freshness and titration curve of whale meat with HCl and Na₂CO₃. 31-34
Ishikawa, S., Omote, Y. and Soma, Y. Analytical distillation of vitamin A in the whale liver oil. 35-41
Ishikawa, S., Omote, Y. and Kanno, H. Molecular distillation of sperm whale blubber oil. 42-45
Kaneko, A. Molecular distillation of fin whale liver oil. 46-50
Akiya, S. and Takahashi, K. Determination of tryptophan in whale meat. 51-54
Ishikawa, Y. and Tejima, S. Protein digestive power of sperm whale pancreatic enzyme. 55-60
Tsukamoto, S. Experiment on digestion of whale meat by koji-mould. 61-66

NUMBER 3, FEBRUARY 1950

- Ogawa, T. and Shida, T. On the sensory tubercles of lips and of oral cavity in the sei and the fin whales. 1-16
Ohe, T. Distribution of the red marrow in bones of the fin whale. 17-22
Hosokawa, H. On the cetacean larynx, with special remarks on the laryngeal sack of the sei whale and the aryteno-epiglottideal tube of the sperm whale. 23-62
Akiba, T., Tsuchiya, T., Umehara, M. and Natsume, Y. Bacteriological studies on freshness of whale meat. (Report No. 1). 63-70
Ishikawa, Y. Protein digestive power of sperm whale pancreatic enzyme. II. 71-78
Mori, T. and Saiki, M. Properties of fats and oils contained in various parts of a sperm whale body. 79-84
Tawara, T. and Fukazawa, R. Studies on kitol. I. Preparation of kitol from whale liver oil. 85-88
Tawara, T. and Fukazawa, R. Studies on kitol. II. Influence of kitol fraction on the determination of the International Unit of Vitamin A. 89-91
Tawara, T. and Fukazawa, R. Studies on kitol. III. The effect of sunlight, air and heat on the vitamin A and kitol fractions. 92-95

- Tawara, T. On the respiratory pigments of whale (Studies on whale blood II.) 96-101
 Yoshida, M. Research on methionine in whale. 102-105
 Mizue, K. Factory ship whaling around Bonin Islands in 1948. 106-118
 Mizue, K. and Jimbo, H. Statistic study of foetuses of whales. 119-131
 Nishiwaki, M. and Hayashi, K. Biological survey of fin and blue whales taken in the Antarctic season 1947-48 by the Japanese fleet. 132-190

NUMBER 4, AUGUST 1950

- Omura, H. On the body weight of sperm and sei whales located in the adjacent waters of Japan. 1-13
 Omura, H. Diatom infection on blue and fin whales in the Antarctic whaling area V (the Ross Sea area). 14-26
 Omura, H. Whales in the adjacent waters of Japan. 27-113
 Nishiwaki, M. Determination of the age of Antarctic blue and fin whales by the colour changes in crystalline lens. 115-161
 Nishiwaki, M. Age characteristics in baleen plates. 162-183
 Nishiwaki, M. On the body weight of whales. 184-209

NUMBER 5, JUNE 1951

- Akiba, T., Umehara, M. and Natsume, Y. Bacteriological studies on freshness of whale meat. (Report No. II.) 1-4
 Hosokawa, H. On the pelvic cartilages of the Balaenoptera-foetuses, with remarks on the specific and sexual difference. 5-15
 Ohe, T. Iconography on the abdominal cavity and viscera of the Balaenoptera, with special remarks upon the peritoneal coverings. 17-39
 Akiya, S. and Hoshino, O. Isolation of histidine from whale blood using 3, 4-dichlorobenzene sulfonic acid. 41-47
 Tawara, T. and Fukazawa, R. Studies on kitol. IV. Purification of kitol by chromatographic. 49-51
 Ishikawa, S., Omote, Y. and Okuda, H. Substances related to vitamin A in the whale liver oil. 53-59
 Ishikawa, S., Omote, Y., Kijima, M. and Okuda, H. Thermal decomposition of kitol. 61-69
 Mizue, K. Grey whales in the east sea area of Korea. 71-79
 Mizue, K. Food of whales (In the adjacent waters of Japan). 81-90
 Nishiwaki, M. and Ohe, T. Biological investigation on blue whales (*Balaenoptera musculus*) and fin whales (*Balaenoptera physalus*) caught by the Japanese Antarctic whaling fleets. 91-167

NUMBER 6, DECEMBER 1951

- Hosokawa, H. On the extrinsic eye muscles of the whale, with special remarks upon the innervation and function of the musculus retractor bulbi. 1-33
 Murata, T. Histological studies on the respiratory portions of the lungs of cetacea. 35-47
 Kojima, T. On the brain of the sperm whale (*Physeter catodon* L.) 49-72
 Mizue, K. and Murata, T. Biological investigation on the whales caught by the Japanese Antarctic whaling fleets season 1949-50. 73-131
 Nishiwaki, M. On the periodic mark on the baleen plates as the sign of annual growth. 133-152
 Nishiwaki, M. and Hibiya, T. On the sexual maturity of the sperm whales (*Physeter catodon*) found in the adjacent waters of Japan (I). 153-165
 Nakai, T. Chemical studies on freshness of whale meat. IV. Some informations of *Archomobacter ubiquitum* isolated from whale carcass. 167-176
 Nakai, T. and Ono, H. The effects of electric shock and fatigue on post-mortem changes in muscle. 177-185

- Omote, Y. Complete recovery of vitamin A from molecular distillation residue of whale-liver oil. 187-191
- Omote, Y. Chemical structure of kitol (I). Double bonds and hydroxyl groups. 193-198
- Hirata, M. Experimental investigation on flattened head harpoon. An attempt for restraining ricochet. 199-207

NUMBER 7, JULY 1952

- Ogawa, T. On the cardiac nerves of some cetacea, with special reference to those of *Berardius bairdii* Stejneger. 1-22
- Akiya, S., Hoshino, O. and Motohashi, N. On an attempt to preserve whale meat freshness with 5-nitro-furfuriden aminoguanidine from decay. 23-30
- Akiya, S. and Sawamura, R. Colorimetric determination of 5-nitro-2-furfuridene aminoguanidine. 31-36
- Tomiyaama, S. and Takao, M. Studies on utilization of higher fatty alcohol from sperm whale oil. 37-46
- Omote, Y. A rapid method for the separate determination of vitamin A and kitol in the whale-liver oil. 47-50
- Arai, Y. and Sakai, S. Whale meat in nutrition. 51-67
- Yamaguchi, K. and Fujino, K. On the serological constitution of striped dolphin (*Prodelphinus caeruleo-albus* (Meyen)) (I). 69-77
- Nishimoto, S., Tozawa, M. and Kawakami, T. Food of sei whales (*Balaenoptera borealis*) caught in the Bonin Island waters. 79-85
- Nishiwaki, M. On the age-determination of Mystacoceti, chiefly blue and fin whales. 87-119
- Nishiwaki, M. and Hibiya, T. On the sexual maturity of the sperm whales (*Physeter catodon*) found in the adjacent waters of Japan (II). 121-124
- Ohno, M. and Fujino, K. Biological investigation on the whales caught by the Japanese Antarctic whaling fleets, season 1950/51. 125-188

NUMBER 8, JUNE 1953

- Yamada, M. Contribution to the anatomy of the organ of hearing of whales. 1-79
- Omura, H. Biological study on humpback whales in the Antarctic whaling areas IV and V. 81-102
- Fujino, K. On the serological constitution of the sei-, fin-, blue- and humpback-whales (I). 103-125
- Ogawa, T. On the presence and disappearance of the hind limb in the cetacean embryos. 127-132
- Nishiwaki, M. and Yagi, T. On the age and the growth of teeth in a dolphin (*Prodelphinus caeruleo-albus*). (I). 133-146
- Kakuwa, Z., Kawakami, T. and Iguchi, K. Biological investigation on the whales caught by the Japanese Antarctic whaling fleets in the 1951-52 season. 147-213
- Nishiwaki, M. Hermaphroditism in a dolphin (*Prodelphinus caeruleo-albus*). 215-218

NUMBER 9, JUNE 1954

- Akiya, S., Hoshino, O. and Motohashi, N. Attempt to preserve freshness of whale meat with germicides. II. 1-10
- Ogawa, T. On the musculature of the sinus venosus and its continuation with the so-called conducting system of the whale's heart. 11-35
- Yamada, M. Some remarks on the pygmy sperm whale, *Kogia*. 37-58
- Yamada, M. An account of a rare porpoise, *Feresa* Gray from Japan. 59-88
- Omura, H. and Fujino, K. Sei whales in the adjacent waters of Japan. II. Further studies on the external characters. 89-103
- Fujino, K. On the serological constitution of the sperm- and bairied beaked-whales (I) Blood groups

- of the sperm- and bairied beaked-whales. 105-120
- Fujino, K. On the body proportions of the fin whales (*Balaenoptera physalus* (L.)) caught in the northern Pacific Ocean (I) (Preliminary report). 121-163
- Nishiwaki, M., Hibiya, T. and Kimura, S. On the sexual maturity of the sei whale of the Bonin waters. 165-177
- Uda, M. Studies of the relation between the whaling grounds and the hydrographical conditions (I). 179-187

NUMBER 10, JUNE 1955

- Hosokawa, H. Cross-section of a 12 mm dolphin embryo. 1-68
- Nemoto, T. White scars on whales (I) Lamprey marks. 69-77
- Omura, H. and Nemoto, T. Sei whales in the adjacent waters of Japan. III. Relation between movement and water temperature of the sea. 79-87
- Omura, H., Fujino, K. and Kimura, S. Beaked whale *Berardius bairdi* of Japan, with notes on *Ziphius cavirostris*. 89-132
- Fujino, K. On the body weight of the sei whales located in the adjacent waters of Japan (II). 133-141
- Nishiwaki, M. On the sexual maturity of the Antarctic male sperm whale (*Physeter catodon* L.). 143-149
- Ohta, K. *et al.* Composition of fin whale milk. 151-167

NUMER 11, JUNE 1956

- Omura, H. and Sakiura, H. Studies on the little piked whale from the coast of Japan. 1-37
- Nishiwaki, M., Hibiya, T. and Kimura, S. On the sexual maturity of the sperm whale (*Physeter catodon*) found in the North Pacific. 39-46
- Fujino, K. On the body proportions of the sperm whales (*Physeter catodon*). 47-83
- Fujino, K. On the serological constitution of the fin whales II. Further studies on blood groups. 85-98
- Nemoto, T. On the diatoms of the skin film of whales in the northern Pacific. 99-132
- Hoshina, T. and Sugiura, Y. On a skin disease and a nematode parasite of a dolphin, *Tursiops truncatus* (Montagu, 1821). 133-138
- Iwai, E. Descriptions on unidentified species of dibranchiate cephalopods. I. An oegopsiden squid belonging to the genus *Architeuthis*. 139-151
- Iwai, E. Descriptions on unidentified species of dibranchiate cephalopods. II. A cranchiidae squid of the genus *Taonius*. 153-161
- Uda, M. and Nasu, K. Studies of the whaling grounds in the northern sea-region of the Pacific Ocean in relation to the meteorological and oceanographic conditions. (Part I). 163-179
- Kimura, S. and Nemoto, T. Note on a minke whale kept alive in aquarium. 181-189
- Ishikawa, Y. A characteristic property of whale oils concerning the absorption of gases. I. On the absorption of carbon dioxide by whale oils. 191-213

NUMBER 12, JUNE 1957

- Omura, H. Osteological study of the little piked whale from the coast of Japan. 1-21
- Nishiwaki, M. Age characteristics of ear plugs of whales. 23-32
- Nemoto, T. Foods of baleen whales in the northern Pacific. 33-89
- Nasu, K. Oceanographic conditions of the whaling grounds in the waters adjacent to Aleutian Islands and the Bering Sea in summer of 1955. 91-101
- Kimura, S. The twinning in southern fin whales. 103-125
- Ichihara, T. An application of linear discriminant function to external measurements of fin whale. 127-189

- Nishiwaki, M. Very small embryo of cetacea. 191-192
 Nishiwaki, M. One-eyed monster of fin whale. 193-195
 Ogawa, T. and Kamiya, T. A case of the cachalot with protruded rudimentary hind limbs. 197-208
 Uda, M. and Dairokuno, A. Studies of the relation between the whaling grounds and the hydrographic conditions. (II) A study of the relation between the whaling grounds off Kinkazan and the boundary of water masses. 209-224
 Abe, T. Notes on fishes from the stomachs of whales taken in the Antarctic. I. *Xenocyttus nemotoi*, a new genus and new species of zeomorph fish of the subfamily *Oreosonimae* (Goode and Bean, 1895). 225-233
 Tsuyuki, H. On the oils contained in various blubbers of northern elephant seal, *Mirounga angustirostris*. 235-240

NUMBER 13, SEPTEMBER 1958

- Omura, H. North Pacific right whale. 1-52
 Nishiwaki, M. and Kamiya, T. A beaked whale *Mesoplodon* stranded at Ōiso beach, Japan. 53-83
 Nishiwaki, M. and Handa, C. Killer whales caught in the coastal waters off Japan for recent 10 years. 85-96
 Ohsumi, S. (Kimura), Nishiwaki, M. and Hibiya, T. Growth of fin whale in the northern Pacific. 97-133
 Nishiwaki, M., Hibiya, T. and Ohsumi, S. (Kimura). Age study of sperm whale based on reading of tooth laminations. 135-153
 Nishiwaki, M., Ichihara, T. and Ohsumi, S. (Kimura). Age studies of fin whale based on ear plug. 155-169
 Fujino, K. On the serological constitution of fin whale. III. Human B blood group substances in erythrocytes and some notes on anti-fin Ju specific antibodies. 171-184
 Nemoto, T. *Cocconeis* diatoms infected on whales in the Antarctic. 185-191
 Nemoto, T. and Nasu, K. *Thysanoessa macrura* as a food of baleen whales in the Antarctic. 193-199
 Ichihara, T. Gray whale observed in the Bering Sea. 201-205
 Ohsumi, S. (Kimura). A descendant of Moby Dick or a white sperm whale. 207-209
 Nasu, K. Deformed lower jaw of sperm whale. 211-212
 Omura, H. Note on embryo of Baird's beaked whale. 213-214
 Uda, M. and Suzuki, N. Studies of the relation between the whaling grounds and the hydrographic conditions. III. 215-229
 Seki, Y. Observations on the spinal cord of the right whale. 231-251
 Kamiya, T. How to count the renculi of the cetacean kidneys, with special regard to the kidney of the right whale. 253-267
 Hosokawa, H. and Sekino, T. Comparison of the size of cells and some histological formations between whales and man. 269-301
 Ogawa, T., Tsunoda, T. and Osawa, M. Amino acid composition of whale meat. 303-307
 Ishikawa, Y. A Characteristic property of whale oils concerning the absorption of gases. II. On the absorption of nitrogen by whale oils. 309-321
 Tsuyuki, H. Component fatty acids of northern elephant seal oil. 323-332

NUMBER 14, SEPTEMBER 1959

- Omura, H. Bryde's whales from the coast of Japan. 1-33
 Nishiwaki, M. and Kamiya, T. *Mesoplodon stejnegeri* from the coast of Japan. 35-48
 Nishiwaki, M. Humpback whales in Ryukyuan waters. 49-87
 Cushing, John E., Fujino, K. and Takahashi, K. Glycerol-freezing technique as an aid in blood typing of whales. 89-100
 Fujino, K. and Cushing, John E. Blood typing of dried whale erythrocytes with ¹³¹I labelled antibody. 101-106

- Ichihara, T. Formation mechanism of ear plug in baleen whales in relation to glove-finger. 107-135
 Nasu, K. Surface water condition in the Antarctic whaling Pacific area in 1956-57. 137-143
 Ohsumi, S. (Kimura). A deformed fin whale foetus. 145-147
 Nemoto, T. Food of baleen whales with reference to whale movements. 149-290
 Yamada, M. and Yoshizaki, F. Osseous labyrinth of cetacea. 291-304
 Nakai, T. Distribution of amino acid in proteins from various parts of whale body. 305-326

NUMBER 15, NOVEMBER 1960

- Nishiwaki, M. Ryukyuan humpback whaling in 1960. 1-16
 Ohsumi, S. Relative growth of the fin whale, *Balaenoptera physalus* (Linn.). 17-84
 Fujino, K. Immunogenetic and marking approaches to identifying subpopulations of the North Pacific whales. 85-142
 Nasu, K. Oceanographic investigation in the Chukchi Sea during the summer of 1958. 143-158
 Tokita, K. and ECG Research Group. Electrocardiographical studies on bottlenosed dolphin (*Tursiops truncatus*). 159-165

NUMBER 16, MARCH 1962

- Omura, H. Bryde's whales occurs on the coast of Brazil. 1-5
 Omura, H. Further information on Bryde's whales from the coast of Japan. 7-18
 Nishiwaki, M. Ryukyuan whaling in 1961. 19-28
 Nemoto, T. A secondary sexual character of fin whales. 29-34
 Omura, H., Nishiwaki, M., Ichihara, T. and Kasuya, T. Osteological note of a sperm whale. 35-45
 Ichihara, T. Prenatal dead foetus of baleen whales. 47-60
 Nishiwaki, M. *Mesoplodon bowdoini* stranded at Akita beach, Sea of Japan. 61-77
 Nishiwaki, M. Observation on two mandibles of *Mesoplodon*. 79-82
 Sinclair, John. An early dolphin embryo (*Stenella caeruleoalba*) in serial sections. 83-87
 Nemoto, T. Food of baleen whales collected in recent Japanese Antarctic whaling expeditions. 89-103
 Uda, M. Subarctic oceanography in relation to whaling and salmon fisheries. 105-119

NUMBER 17, FEBRUARY 1963

- Nishiwaki, M., Ohsumi, S. and Maeda, Y. Change of form in the sperm whale accompanied with growth. 1-14
 Ohsumi, S., Kasuya, T. and Nishiwaki, M. The accumulation rate of dentinal growth layers in the maxillary tooth of the sperm whale. 15-35
 Ichihara, T. Photometric method for counting laminae in ear plug of baleen whale. 37-48
 Yoshikawa, T. and Suzuki, T. The lamination of the masseter of the humpback whale. 49-52
 Fujino, K. Intra-uterine selection due to maternal-foetal incompatibility of blood type in the whales. 53-65
 Cushing, J. E., Fujino, K. and Calaprice, N. The Ju blood typing system of the sperm whales and specific soluble substances. 67-77
 Nemoto, T. New records of sperm whales with protruded rudimentary hind limbs. 79-81
 Nemoto, T. and Nasu, K. Stones and other aliens in the stomachs of sperm whales in the Bering Sea. 83-91
 Nishiwaki, M. Taxonomical consideration on genera of *Delphinidae*. 93-103
 Nasu, K. Oceanography and whaling ground in the subarctic region of the Pacific Ocean. 105-155
 Nemoto, T. Some aspect of the distribution of *Calanus cristatus* and *C. plumchrus* in the Bering and its neighbouring waters, with reference to the feeding of baleen whales. 157-170
 Tsuyuki, H. and Naruse, U. Studies on the oil of black right whale in the northern Pacific Ocean. 171-190
 Yagi, T., Nishiwaki, M. and Nakajima, M. A preliminary study on method of time marking with lead-salt and tetracycline on the teeth of northern fur seal. 191-195

NUMBER 18, MARCH 1964

- Fujino, K. Fin whale subpopulations in the Antarctic whaling areas II, III and IV. 1-28.
 Ichihara, T. Prenatal development of ear plug in baleen whales. 29-48.
 Ohsumi, S. Examination on age determination of the fin whale. 49-88.
 Nemoto, T. School of baleen whales in the feeding areas. 89-110.
 Okutani, T. and Nemoto, T. Squids as the food of sperm whales in the Bering Sea and Alaskan Gulf. 111-122
 Ohasumi, S. Comparison of maturity and accumulation rate of corpora albicantia between the left and right ovaries in cetacea. 123-148
 Omura, H. A systematic study of the hyoid bones in the baleen whales. 149-170
 Nishiwaki, M. Revision of the article "Taxonomical consideration on genera of *Delphinidae*" in No. 17. 171-172
 Tsuyuki, H. and Naruse, U. Studies on the lipids in brain of black right whale in the northern Pacific Ocean. 173-180

NUMBER 19, APRIL 1965

- Ohsumi, S. Reproduction of the sperm whale in the north-west Pacific. 1-35
 Kasuya, T. and Ichihara, T. Some informations on minke whales from the Antarctic. 37-43
 Nemoto, T. and Kasuya, T. Foods of baleen whales in the Gulf of Alaska in the North Pacific. 45-51
 Nishiwaki, M., Nakajima, M., and Kamiya, T. A rare species of dolphin (*Stenella attenuata*) from Arari, Japan. 53-64
 Nishiwaki, M., Kasuya, T., Tobayama, T., Kamiya, T., and Nakajima, M. *Feresa attenuata* were caught and kept at Ito, Japan. 65-90
 Nakajima, M. and Nishiwaki, M. The first occurrence of a porpoise (*Electra electra*) in Japan. 91-104
 Hosokawa, H. and Kamiya, T. Sections of the dolphin's head (*Stenella caeruleoalba*). 105-133
 Ohsumi, S. A dolphin (*Stenella caeruleoalba*) with protruded rudimentary hind limbs. 135-136

NUMBER 20, APRIL 1966

- Ohsumi, S. Sexual segregation of the sperm whale in the North Pacific. 1-16
 Ichihara, T. Criterion for determining age of fin whale with reference to ear plug and baleen plate. 17-82
 Kasuya, T. Karyotype of a sei whale. 83-88
 Kasuya, T. and Ohsumi, S. A secondary sexual character of the sperm whale. 89-94
 Nishiwaki, M. and Norris, K. S. A new genus, *Peponocephala*, for the odontoceti cetacean species *electra electra*. 95-100
 Nishiwaki, M., Nakajima, M. and Tobayama, T. Preliminary experiments for dolphin marking. 101-107
 Nemoto, T. *Thysanoessa* euphausiids, comparative morphology, allomorphosis and ecology. 109-155
 Nasu, K. Fishery oceanographic study on the baleen whaling grounds. 157-210
 Ichihara, T. and Nishiwaki, M. External measurements and weight of a southern elephant seal. 211-212
 Tsuyuki, H. and Itoh, S. Studies on the oils contained in blubber of a southern elephant seal. 213-221

NUMBER 21, MAY 1969

- Omura, H., Ohsumi, S., Nemoto, T., Nasu, K. and Kasuya, T. Black right whales in the North Pacific. 1-78
 Nishiwaki, M. and Hasegawa, Y. The discovery of the right whale skull in the Kisagata shell bed. 79-84
 Ohsumi, S. Occurrence and rupture of vaginal band in the fin, sei, and blue whales. 85-94
 Hosokawa, H., Igarashi, S., Kamiya, T. and Hirose, K. Morphological characteristics and myelination of acoustic system in the dolphins (*Stenella caeruleoalba*). 95-123
 Mol, T. and van Bree, P. J. H. A short contribution to the history of whaling in Japan during the 17th century. 125-129
 Tsuyuki, H. and Itoh, S. Fatty acid composition of finless porpoise oil. 131-135
 Tsuyuki, H. and Itoh, S. Fatty acid composition of many toothed pilot whale oil. 137-141