

SUBJECT INDEX

Taxonomy, Body proportion and Osteology

- Balaena mysticelus* 22: 45-62, 34: 49-57
Eubalaena glacialis 13: 1-52, 21: 1-78, 21: 79-84, 23: 71-81, 30: 249-251
Eschrichtius robustus 22: 29-37, 26: 1-14, 35: 195-197
Balaenoptera musculus 7: 125-183
B. musculus brevicauda 22: 1-27, 35: 199-203
B. physalus 7: 125-183, 9: 121-163, 12: 127-189, 15: 17-84, 16: 29-34
B. borealis 9: 89-103, 14: 1-33, 23: 83-89
B. edeni 9: 89-103, 14: 1-33, 16: 1-5, 16: 7-18, 31: 85-92, 33: 1-26
B. acutorostrata 11: 1-37, 12: 1-21, 19: 37-43, 22: 75-125, 27: 1-36, 28: 57-68, 28: 69-72, 36: 1-33
Megaptera novaeangliae 7: 125-183, 14: 49-87, 36: 165-168
Physeter catodon 7: 125-183, 11: 47-83, 16: 35-45, 17: 1-14
Kogia sp. 9: 37-58
K. breviceps 33: 119-124, 35: 183-193
Tasmacelus shepherdii 28: 127-128
Mesoplodon ginkgodens 13: 53-83, 24: 43-56
M. densirostris 23: 129-137
M. stejnegeri 14: 35-48, 28: 107-117
M. bowdoini 16: 61-77
M. sp. 16: 79-82
Ziphius cavirostris 24: 1-34
BrBerardius 27: 111-137
B. bairdii 10: 89-132
Hyperoodon planifrons 28: 119-126
Peponocephala electra 19: 91-104, 20: 95-100
Feressa attenuata 9: 59-88, 19: 65-90
Orcinus orca 26: 255-258
Globicephala macrorhynchus and *G. melaena* 27: 95-110
Globicephala macrorhynchus 32: 67-95, 32: 145-148
Lagenodelphis hosei 25: 251-263, 30: 231-244
Stenella attenuata 19: 53-64
S. spp. 28: 129-135
Phocoena dioptrica 35: 159-164
Platanistoidea 34: 93-108, 35: 173-181
Platanisla gangetica 24: 87-108
Small cetaceans; Tierra del Fuego 30: 197-230
Mirounga leonina 20: 211-212
Systematic study
Pelvic bone 5: 5-15, 30: 271-279, 32: 25-37

- Hyoid bone, baleen whales 18: 149-170
Balaenoptera acutorostrata 26: 15-24
Phoca 26: 313-320
Sternum and clevice
Stenella coruleoalba 30: 253-269
Megaptera novaeangliae 30: 253-269
Tympano-periotic bone, toothed whales 25: 1-103
Vertebrae, baleen whales 23: 61-69
Skull and other characteristics, delphinidae 17: 93-103, 18: 171-172
Secondary sexual character
Balaenoptera physalus 16: 29-34
Physeter catodon 20: 89-94
Karyotype
Balaenoptera borealis 20: 83-88

Anatomical and Histological study

- Brain, *Physeter* 6: 49-72
Stenella 26: 245-253
Platanista 32: 105-126
Eubalaena 36: 49-87
Spinal cord, *Eubalaena* 13: 231-251
Physeteridae 35: 47-56
Trigeminal nerve, Physeteridae 35: 47-56
Dorsal vagal nucleus, *Physeter* 25: 241-249
Acoustic system 2: 1-20, 21: 95-123
Organ of hearing 2: 21-30, 8: 1-79
Labyrinth 14: 291-304
Sinus hair, *Balaenoptera borealis* 1: 41-47
Sensory tubercle, lip 3: 1-16
Lingual margin 28: 137-140
Taste buds, *Stenella* 30: 285-290
Tongue, *Sirenia* 32: 127-144
Head section, *Stenella* 19: 105-133
Extrinsic eye muscle 6: 1-33
Masseter, *Megaptera* 17: 49-52
Heart, conducting system 9: 11-35
cardiac nerve, *Berardius* 7: 1-22
Larynx 3: 23-62
Air-sac, *Histriophoca* and *Phoca* 29: 129-135
Lung 6: 35-47
Parathyroid, *Platanista* 30: 281-284
Abdominal cavity, iconography 5: 17-39
Hepato-pancreatic, *Inia* 36: 89-95
Stomach 23: 91-101, *Inia* 33: 69-81
Renculi 13: 253-267
Anal tonsil, *Platanistidae* 29: 95-100
Corpus luteum, *Callorhinus* 29: 121-128
Red bone marrow, *B. physalus* 3: 17-22

Embryo, *Stenella* 10: 1-68, 16: 83-87
 Size of cell 13: 269-301
 Epidermal cyst 31: 93-94

Body and organ weight

Eubalaena glacialis 13: 1-52, 21: 1-78
Balaenoptera musculus 3: 132-190, 4: 184-209, 125-183
B. musculus brevicauda 22: 1-27
B. physalus 3: 132-190, 4: 184-209, 7: 125-183
B. borealis 4: 1-13
B. edeni 10: 133-141
B. acutorostrata 22: 75-125
Megaptera novaeangliae 7: 125-183, 14: 49-87
Physeter catodon 4: 1-13, 7: 125-183
Mesoplodon ginkgodens 24: 43-56
Lagenodelphis hosei 25: 251-263
Stenella attenuata 26: 157-226
S. coruleoalba 33: 27-67
Platanista gangetica 24: 87-108, 26: 265-270
Pontoporia blainvillei 26: 265-270
Mirounga leonina 20: 211-212
Dugong dugon 31: 129-132

Age determination

Crystalline lens 3: 132-190, 4: 115-161
 Baleen plates 4: 162-183, 6: 133-152
 Ear plug 12: 23-32, 14: 107-135, 17: 37-48, 18: 29-48
 Baleen whales 7: 87-119
Balaenoptera physalus 13: 155-169, 18: 49-88-, 20: 17-82
Physeter catodon 13: 135-153, 17: 15-35, 20: 1-16
Berardius bairdii 29: 1-20
Globicephala macrorhynchus 35: 57-91
Tursiops truncatus 32: 39-66
Stenella ceruleoalba 8: 133-146, 24: 57-79, 28: 73-106, 29: 21-48
S. attenuata 26: 157-226, 28: 73-106
Platanista gangetica 24: 87-108
Pontoporia blainvillei 31: 45-67
Collorhinus ursinus 17: 191-195
Dugong dugon 30: 301-310
Phoca kurilensis 33: 131-135

Population study

Balaena mysticetus 35: 1-16
Eubalaena glacialis 13: 1-52, 21: 1-78
Eschrichtius robustus 5: 71-79, 13: 201-205, 22: 29-37, 22: 39-43, 26: 1-14
Balaenoptera musculus 3: 132-190, 4: 27-113, 5: 91-167, 6: 73-131, 7: 125-183, 8: 147-213

B. physalus 3: 119-131, 3: 132-190, 4: 27-113, 5: 91-167, 6: 73-131, 7: 125-183, 8: 147-213, 11: 85-98, 12: 103-125, 13: 97-133, 13: 145-169, 15: 85-142, 17: 53-65, 18: 1-27, 18: 49-88, 34: 59-91
B. borealis 3: 119-131, 4: 27-113, 9: 89-103, 22: 63-74, 34: 59-91
B. edeni 3: 106-118, 3: 119-131, 9: 89-103, 9: 165-177, 10: 79-87, 14: 1-33, 16: 7-18, 28: 1-35, 30: 291-300, 34: 59-91
B. acutorostrata 11: 1-37, 11: 181-189, 19: 37-43, 22: 75-125, 37-59, 35: 17-38, 36: 1-34, 36: 35-39
Megaptera novaeangliae 4: 27-113, 6: 73-131, 7: 125-183, 8: 81-102, 8: 147-213, 14: 49-87, 15: 1-16, 16: 19-28, 29: 59-85, 30: 245-247
Physeter catodon 3: 106-118, 3: 119-131, 4: 27-113, 6: 153-165, 7: 121-124, 7: 125-183, 8: 147-213, 10: 143-149, 11: 39-46, 13: 135-153, 17: 15-35, 19: 1-35, 20: 1-16, 23: 1-25, 35: 39-46
Ziphius cavirostris 10: 89-132, 24: 35-41
Berardius 27: 111-137
B. bairdii 10: 89-132, 13: 213-214, 23: 111-122, 29: 1-20
Odontoceti 34: 1-47
Oreinus orca 13: 85-96
Globicephala macrorhynchus 35: 57-91
Globicephala macrorhynchus and *G. melaena* 27: 95-110, 36: 97-106
Stenella coeruleoalba 12: 191-192, 22: 159-162, 24: 57-79, 26: 227-243, 28: 73-106, 29: 21-48, 30: 65-115, 36: 107-138
S. attenuata 26: 157-226, 26: 226-243, 28: 73-106, 36: 107-138
Lagenorhynchus obliquidens 35: 129-157
Lagenodelphis hosei 30: 231-244
Phocoenoides dalli 30: 1-64, 35: 93-105, 35: 107-128, 36: 139-152
Neophocaena phocaenoides 31: 1-44
Cephalorhynchus commersonii 32: 149-154, 36: 153-164
Platanista gangetica 24: 87-108, 24: 109-115, 27: 81-94, 29: 87-94
Pontoporia blainvillei 31: 45-67
 School, baleen whales 18: 89-110
 Corpora albicantia 18: 123-148
 Virginal band 21: 85-94
 Counting and measuring, baleen and ventral grooves 25: 279-292
 Baleen, function 28: 37-55
 Underwater sound 23: 123-128, 33: 83-117
 Epimeletic behavior 28: 141-143
 Marking dolphin 20: 101-107, 24: 81-85
 Human activity disturbing whales 29: 113-120

History, whaling 21: 125-129
 Color pattern, *Phoca* 25: 301-310
 Growth, *Phoca* 24: 127-144
 Foods, *Phoca* 34: 123-136
 Pelage, *Historiophoca* 28: 187-197
 Occurrence, phocid seals 28: 175-185
 Distribution, *Phoca* 31: 105-119
 Dugong 31: 133-141
 Trichechus 34: 137-147
 Diving depth, *Callorhinus* 24: 145-148
 Wandering speed, *Erignathus* 31: 121-123
 Gerology 7: 69-77, 8: 103-125, 9: 105-120, 11:
 85-98, 13: 171-184, 14: 89-100, 14: 101-106, 15:
 85-142, 17: 53-65, 17: 67-77, 18 1-27

Food and feeding

(See also population study)

Baleen whales 5: 81-90, 12: 33-89, 13: 193-199,
 14: 149-290, 16: 89-103, 17: 157-170, 19: 45-
 51, 20: 109-155, 34: 59-91
Balaena mysticetus 35: 1-16
Balaenoptera borealis 22: 127-152, 22: 153-158, 25:
 219-236, 25-144
B. edeni 7: 79-85, 29: 49-58, 32: 1-23
Megaptera novaeangliae 31: 69-83, 36: 41-47
Eschrichtius robustus 22: 39-43
Physeter catodon 5: 81-90, 11: 139-151, 11: 153-161,
 18: 111-122, 28: 145-151, 32: 199-218
Orcinus orca 29: 107-111
Stenella coeruleoalba 25: 265-275
 Balaenopterids 32: 155-198, 34: 59-91
 Larga Seal 34: 123-136
 Antarctic fish from stomach 12: 225-233
 Stone and alien from stomach 17: 83-91
 Stomach content in relation to chasing time 23:
 27-36
 Energy budget 27: 61-79

Whaling ground, environmental

9: 179-187, 11: 163-179, 12: 91-101, 12: 209-224,
 13: 215-229, 14: 137-143, 15: 143-158, 16: 105-
 119, 17: 105-155, 20: 157-210, 26: 271-287, 27:
 141-157
 Statistical review 25: 105-203
 Pack-ice limit 29: 137-141
 Sighting
 By boat 25: 205-217, 26: 289-302, 30: 117-178,
 30: 179-195
 By air 23: 37-60

Parasite, scar and skin disease

Diatom 4: 14-26, 11: 99-132, 13: 185-191, 29:

101-105, 32: 97-103
 Cyamus 28: 153-160
 Barnacle 22: 39-43
 White scar 10: 69-77, 26: 145-155
 Skin disease 11: 133-138
 Helminthes 11: 133-138, 28: 161-166
 Marlin spear 14: 149-290 (p. 252), 22: 163-164,
 25: 237-239
 Aggressive encounter 31: 95-96
 Parasite, *Euphausia* 30: 311-313

Chemical study

Enzyme, stomach 1: 3-7
 pancreas 1: 8-10, 1: 11-14, 2: 55-60, 3:
 71-78
 Whale meat, peptone 1: 15-16
 freshness 1: 17-26, 1: 28-30, 2: 31-
 34, 3: 63-70, 5: 1-4, 6: 167-176,
 7: 23-30, 7: 31-36, 9: 1-10
 tryptophane 2: 51-54
 digestion 2: 61-66
 nutrition 7: 51-67
 amino acid 13: 303-317, 14: 305326
 methionine 3: 102-105
 Whale blood 1: 38-40, 3: 96-101, 5: 41-47
 Whale milk 10: 151-167
 Vitamin 1: 31-37, 2: 35-41, 5: 53-59, 6: 187-191,
 7: 47-50
 Kitol 3: 85-88, 3: 89-91, 3: 92-95, 5: 49-51, 5:
 61-69, 6: 193-198, 7: 47-50
 Oil, gas absorption 11: 191-213, 13: 309-321
 molecular distillation 2: 42-45, 2: 46-50
 Oil, *Eubalaena*, 17: 171-190
 Physeter 3: 79-84, 7: 37-46
 Mirounga 12: 235-240, 13: 323-332, 20: 213-221
 Lipid, *Eubalaena* 18: 173-180
 Fatty acid composition of oil,
 Eubalaena 22: 165-170
 Neopocaena 21: 131-135, 26: 303-306
 Peponocephala 21: 137-141
 Platanista 23: 141-147, 24: 117-125
 Inia 25: 293-299
 Trichechus 26: 307-311
 Krill 28: 167-174
 Metal, *Dugong* 31: 125-128
 Organochlorine compounds, *Dugong* 31: 125-126

Miscellaneous

Hybrid 34: 109-121
 Hind limb 8: 127-132, 12: 197-208, 17: 79-81,
 19: 135-136
 Hermaphroditism 8: 215-218

- Prenatal dead fetus 16-47-60
Malformed fetus 12: 193-195, 14: 145-147, 23:
139-140, 26: 259-263
Jacobson's organ 33: 125-126
Dicephaly fetus 33: 127-129
Albino 13: 207-209
Carotinoid body color 31: 97-99
Deformed jaw 13: 211-212, 31: 101-103
Vestigial teat 25: 277-278
Strange organ 27: 139-140
Electrocardiogram, *Tursiops* 15: 159-165
Electric shock 6: 177-185
Compressive strength, dentin 23: 103-110
Flattened head harpoon 6: 199-207



一般財団法人 日本鯨類研究所
THE INSTITUTE OF CETACEAN RESEARCH