SIGHTING RECORDS OF FRASER'S DOLPHIN IN THE MEXICAN PACIFIC WATERS

ANELIO AGUAYO L.* AND RAFAEL SANCHEZ T.*

Lagenodelphis hosei Fraser, 1956 is distributed in the tropical and temperate waters of the Pacific, Atlantic and Indian Oceans (Perrin, Best, Dawbin, Balcomb, Gambell and Ross, 1973; Tobayama, Nishiwaki and Yang, 1973; Miyazaki and Wada, 1978; Leatherwood, Reeves, Perrin and Evans, 1982; Caldwell, Caldwell and Walker, 1976; Hersh and Odell, 1983).

We report here two additional sighting records of this species in the waters of the Archipelago of Revillagigedo, Mexico (Fig. 1).

The first was a group of 20 animals sighted by one of us (AAL), on July 3, 1981, at 19°47'N, 110°42'W, 54 km off the nearest coast. The robust body, short snout, semifalcate dorsal fin, small flippers and lateral stripe were




Fig. 1. Records of occurrence of *Lagenodelphis hosei*. Black circles are strandings or captures and white circles are sightings in the published records. Asterisks represent present records.

^{*} Laboratorio de Vertebrados, Facultad de Ciencias, UNAM, Apdo. Postal No 70-572, 04510, Mexico, D.F., Mexico

observed. The surface water temperature was 26°C, and the water depth was over 1,000 m.

The second was a group of 3 animals sighted by us on January 18, 1985, at 18°24'N, 114°23'W, 27 km off the nearest coast. The species was identified based on the same characteristics as of the first sighting. The surface water temperature was 25°C, and the water depth there was 3,100 meters.

These sightings represent the most boreal records of this species in the eastern Tropical Pacific.

We want to express our gratitude to Dr Nobuyuki Miyazaki for his help and constructive comments to the present note, and to M.A. de la Mora for drawing.

REFERENCES

- CALDWELL, D.K., M.C. CALDWELL and R.V. WALKER, 1976. First records for Fraser's dolphin (Lagenodelphis hosei) in the Atlantic and the Melon-headed Whale (Peponocephala electra) in the western Atlantic. Cetology, 25: 1-3.
- Hersh, S.L. and D.K. Odell, 1983. A mass stranding of Fraser's dolphin from the Marquesas Keys, Florida. p.44. In: Fifth Biennial Conference on the Biology of Marine Mammals. Abstracts. November 27– December 1, 1983, Boston, Massachusetts. 112 pp.
- LEATHERWOOD, S., R.R. REEVES, W.F. PERRIN and W.E. EVANS, 1982. Whales, Dolphins and Porpoises of the Eastern North Pacific and Adjacent Arctic Waters. A Guide to Their Identification. NOAA Technical NMFS Circular 444. 245 pp.
- MIYAZAKI, N. and S. WADA, 1978. Fraser's Dolphin in the western North Pacific. Sci. Rep. Whales Res. Inst., 30: 231-244.
- Perrin, W.F., P.B. Best, W.H. Dawbin, K.C. Balcomb, R. Gambell and G.J.B. Ross, 1973. Rediscovery of Fraser's dolphin (*Lagenodelphis hosei*). *Nature*, 241 (5388): 345–350.
- TOBAYAMA, T., M. NISHIWAKI and H.C. YANG, 1973. Records of the Fraser's Sarawak dolphin (Lagenodelphis hosei) in the western North Pacific. Sci. Rep. Whales Res. Inst., 25: 251-263.

